



# White Paper

## Login Dialog Parameters

2019 February Release

Copyright © Fabasoft R&D GmbH, Linz, Austria, 2019.

All rights reserved. All hardware and software names used are registered trade names and/or registered trademarks of the respective manufacturers.

No rights to our software or our professional services, or results of our professional services, or other protected rights can be based on the handing over and presentation of these documents.

## Contents

1 Introduction	4
2 Login Modes	4
3 Login Parameters	5

## 1 Introduction

Different use cases need different types of views for the Fabasoft Cloud login dialog. Via URL parameters, the site can be customized to the specific look and feel.

The login dialog parameters can be added to full Fabasoft Cloud URLs (e.g. <https://ch.cloud.fabasoft.com/folio/homelocation?..>) or to the static login page of the Fabasoft Cloud IDP (e.g. <https://idp.cloud.fabasoft.com/idp/login.html?..>).

Parameters passed to the index page of the Fabasoft Cloud (<https://at.cloud.fabasoft.com/folio>) will **not** be forwarded.

## 2 Login Modes

The login mode defines primarily the displayed elements of the login page.

Currently there are the following modes:

- `default`  
The login screen as seen on [ch,at,de].cloud.fabasoft.com.
- `simple`  
The login screen misses the header and footer completely.
- `cmisapp`  
Currently it looks like the simple mode.


In order to customize these views you have to append the keyword `motoky_loginmode` to your URL.

### Example

```
https://ch.cloud.fabasoft.com/folio/homelocation?motoky_loginmode=simple
```

### Default

If you do not pass any parameter to the login screen, the default page will look like this:




A header and footer are displayed.

## Simple

The simple mode allows you to use all login variations as with the default view, but no header and footer are displayed.

**Example**

```
https://de.cloud.fabasoft.com/folio/homelocation?motoky_loginmode=simple
```



Please Select Login Method

E-Mail Address

E-Mail Address

cadence.jones@fabasoft.com

Password

••••••••

Login

Save E-Mail Address

Set New Password or Register now

## CMIS App

The CMIS App mode currently looks like the simple mode.

**Example**

```
https://at.cloud.fabasoft.com/folio/homelocation?motoky_loginmode=cmisapp
```

## 3 Login Parameters

The following parameters can be used to additionally customize the login dialog.

### Automatically Login With Certificate

To automatically login with an installed certificate use the URL parameter `motoky_params=cert_autologin`.

**Example**

```
https://ch.cloud.fabasoft.com/folio/homelocation?motoky_params=cert_autologin
```

### Automatically Login With Active Directory Federation Services (AD FS)

To automatically login with AD FS use the URL parameter `motoky_params=adfs_autologin%3A<base64 encoded AD FS ID>`.

**Note:** The parameter `motoky_params` can have multiple key value pairs. Each key value pair is separated by a comma (","),. The value is separated from the key by a colon (":"). Ensure that the value of parameter `motoky_params` is URI encoded.

### Example

```
https://de.cloud.fabasoft.com/folio/homelocation?motoky_params=adfs_autologin%3AaHR0cHM6Ly9wcm94eS5hZGZzLm15LWNvbXBhbncuY29tL2FkZnMvc2VydmljZXMvdHJlc3Q%3D
```

## Automatically Login With SAML2 Identity Provider

To automatically login with a configured SAML2 identity provider use the URL parameter `motoky_params=saml2_autologin%3A<base64 encoded entity id>`.

**Note:** The parameter `motoky_params` can have multiple key value pairs. Each key value pair is separated by a comma (","),. The value is separated from the key by a colon (":"). Ensure that the value of parameter `motoky_params` is URI encoded.

### Example

```
https://at.cloud.fabasoft.com/folio/homelocation?motoky_params=saml2_autologin%3AaHR0cHM6Ly9pZHAubXktY29tcGFueS5jb20%3D
```

## Hide Login Methods

Because some devices do not support certain login methods, e.g. certificates on mobile Android devices, the Fabasoft Cloud login screen supports hiding certain login methods.

The following login methods and features can currently be hidden:

- `business`  
Certificate, SAML 2.0 and AD FS are hidden.
  - `cert`  
Certificate is hidden.
  - `adfs`  
Single sign-on (Active Directory) is hidden.
  - `saml2`  
Single sign-on (SAML 2.0) is hidden.
- `digitalid`  
Digital IDs are hidden.
- `login`  
E-mail address is hidden.

In order to customize these views you have to append the keyword `motoky_hidelogin` to your URL.

### Example

```
https://de.cloud.fabasoft.com/folio/homelocation?motoky_hidelogin=business
```

The parameter `motoky_hidelogin` accepts a comma separated list of values. So you can hide more than just one login method or feature.

### Example

```
https://ch.cloud.fabasoft.com/folio/homelocation?motoky_hidelogin=business,digit  
lid
```

## Combination

The parameters `motoky_loginmode` and `motoky_hidelogin` can be combined. So you can have a simple login screen without the certificate selection.

## Example

```
https://idp.cloud.fabasoft.com/idp/login.html?motoky_loginmode=simple&motoky_h  
idelogin=business
```

## Login Name

If the URL contains the parameter `idploginusername`, the username in the login dialog is prefilled with that value.